



SECTION 6 - Toxicological Properties

SECTION 1 - Product Information

Product Identifier: 399 Cleaner & Degreaser

Product Use: Cleaning Product

Manufacturer's Name: Aerove Industries Inc.

Address: 1100 Mark Circle, Gardnerville, NV 89410

Emergency Phone: 1-800-424-9300

Preparation Date: April 22, 2010

SECTION 2 - Hazardous Ingredients

| Hazardous Ingredients | Weight % | CAS Number | LD ₅₀ of Ingredient (species & route) | LC ₅₀ of Ingredient (species) |
|--|----------|------------|--|--|
| Solvent Naphtha (Petroleum), Light Aliphatic | 60 - 80 | 64742-89-8 | > 2000 mg / kg (Rat-Dermal) > 2000 mg / kg (Rat-Oral) | > 5000 ppm / 1 hr (Rat) |
| Propylene Glycol Methyl Ether | 10 - 30 | 107-98-2 | N / AV | N / AV |
| Acetone | 7 - 13 | 67-64-1 | 5800 mg / kg (Rat-Oral) | 21000 ppm / 8 hr (Rat) |

SECTION 3 - Physical Data

Physical State: liquid
Boiling Point: 133° F (56° C)
Vapor Density (air = 1): Heavier than air
Odor and Appearance: Clear and colorless liquid with a hydrocarbon odor.

Specific Gravity: 0.8
Freezing Point: N / AV

Evaporation Rate: Faster than n-Butyl Acetate
pH: N / AP
Vapor Pressure (psig): 50 - 60

SECTION 4 - Fire and Explosion Data

Flammability: Flammable liquid under conditions of sparks, flame, or excessive heat.
Means of Extinction: *Extinguishing Media* - Carbon dioxide, dry chemical, water spray. *Firefighting Procedures* - Use water spray to cool containers to prevent pressure build up. Self-contained breathing apparatus should be used if product is involved in fire.
Flashpoint: <20° F (-7° C) **Method Used:** Estimated **Flammable Limits - LFL:** 0.8% **UFL:** 13%
Autoignition Temperature: N / AV **Hazardous Combustion Products:** Carbon Monoxide, Carbon Dioxide.
Explosion Data - Sensitivity to Mechanical Impact: No **Explosion Data - Sensitivity to Static Discharge:** No

SECTION 5 - Reactivity Data

Chemical Stability: Stable
Reactivity & Conditions: None

Incompatibility with Other Substances: Strong oxidizing agents.
Hazardous Decomposition Products: None

Primary Routes of Entry: Skin Contact, Eye Contact, Inhalation

Effects of Acute Exposure to Product:

Skin Contact - Irritation.

Eye Contact - Irritation.

Inhalation - Irritation. May cause dizziness, light-headedness and / or headaches. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Effects of Chronic Exposure to Product: Dermatitis. Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage. Repeated overexposure can also damage kidneys, lungs, liver, heart and blood.

Exposure Limits (TLV):

Solvent Naphtha (Petroleum), Light Aliphatic

N / AV - ACGIH 2005

Propylene Glycol Methyl Ether

100 ppm TWA and 150 ppm STEL - ACGIH 2001

Acetone

500 ppm TWA and 750 ppm STEL - ACGIH 2005

Irritancy: Skin, eyes, and respiratory tract.

Sensitization: N / AV

Carcinogenicity: The ingredients are not listed as a human carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive Toxicity: N / AV

Teratogenicity: N / AV

Mutagenicity: N / AV

Synergistic Products: N / AV

SECTION 7 - Preventive Measures

Personal Protective Equipment (PPE): Gloves - Yes Respirator - Yes Eye - Yes Footwear - No Clothing - No Other - No

Skin Protection - Chemical resistant gloves such as Neoprene or Nitrile rubber.

Respiratory Protection - In areas with poor ventilation, use a NIOSH approved Organic Vapor Cartridge Respirator.

For concentrations above the TLV (as defined in Section 6), use a positive air supplied respirator.

Eye Protection - Safety glasses or goggles.

Engineering Controls: General ventilation to maintain exposure limits below TLV's as defined in Section 6.

Leak and Spill Procedure: Remove all sources of ignition. Ventilate area. Prevent from entering a watercourse. Use an inert absorbent material and non-sparking type tools.

Waste Disposal: Dispose of in accordance with local, state/provincial or territorial, and federal regulations. Do not incinerate closed containers.

Handling Procedures and Equipment: Do not use near heat, sparks, or open flame. Use PPE as defined in Section 7.

Storage Requirements: Do not store near heat, sparks, flame or above 120° F (49° C).

Special Shipping Information: Consumer Commodity ORM-D.

SECTION 8 - First Aid Measures

Inhalation: Remove from exposure, seek medical attention if signs/symptoms persist.

Ingestion: Do NOT induce vomiting, seek medical attention.

Skin Contact: Wash affected area with soap and water, remove contaminated clothing, seek medical attention if irritation persists.

Eye Contact: Flush immediately with water for 15 minutes, seek medical attention if irritation persists.

SECTION 9 - Preparation Information

Prepared by: Technical Department

Telephone Number: 775-783-3100

Preparation Date: April 22, 2010

NOTE: N / AP = Not Applicable N / AV = Not Available